

NEPTUNE CAMPUS, NEAR ATLANTIS HEIGHTS, DR.VIKRAM SARABHAI MARG, VADIWADI, VADODARA,GUJARAT-390007 Ph.No.0265-2350630 39 Website www.neptunerealtygroup.com

## **WORK ORDER**

WO No.

146

SHIP TO:

WO Date:

02/08/2023

NEPTUNE ASSOCIATES

**Contractor Name** 

**SAI MICRO SYSTEMS** 

**GREENWOODS SERENITY** 

Address:

Greenwoods Serenity, Opp, Vicenza Highlands, Sevasi - Sindhrot Rd, b/h, FGI Campus, Gotri,

Vadodara, Gujarat 391101

**Contact No** 

9925229410

29410 WO Title

PAN:

ABOFS8457C

Work Order for Aluminium Windows and Curtain

Wall systems

GST:

GST No:

24AAAAN5530F1Z0

Gujarat

We have pleasure in placing with you our Work order for the following contract kindly execute the work

as per the instruction given by our site incharge.

Sr.No	Item Description	Qty	Unit	Rate Rs.	Amount	GST 9	ó
Spc.							
Spc.							
Spc.							
spc.							
4	WILL AS ALLINA WILL SURVING BOOKS						
4	VILLA A3 ALUMINIUM SLIDING DOORS & WINDOWS						
	LABOUR FOR ALUMINUM DOOR (SQFT)	235.00	SQFT	545.00	128075.00	18	%
Spc.					.200.0100		
Spc.	ALUMINUM DOOK (SQFT)						
Spc.							
spc.							
,							
6	VILLA A30 ALUMINIUM SLIDING DOORS & WINDOWS						
	LABOR FOR ALUMINUM WORK (SQFT)	1,160.36	SQFT	545.00	632396.20	18	%
7	VILLA A30 ALUMINIUM SLIDING DOORS &	1,100.30	30, 1	343.00	032370.20		70
,	WINDOWS						
	LABOUR FOR ALUMINUM GLAZING (SQFT)	501.00	SQFT	545.00	273045.00	18	%
Spc.							
Spc.							
C							
Spc.							
-							
							_

10 VILLA B36 ALUMINIUM SLIDING DOORS & WINDOWS

LABOR FOR ALUMINUM WORK (SQFT)

1,160.36 SQFT

545.00

632396.20

18

%

11	VILLA B36 ALUMINIUM SLIDING DOORS &						
'''	WINDOWS						
	LABOUR FOR ALUMINUM GLAZING (SQFT)	501.00	SQFT	545.00	273045.00	18	%
Spc.							
<b>.</b>							
Spc.							
	-						
14	VILLA B46 ALUMINIUM SLIDING DOORS &						
	WINDOWS						
	LABOR FOR ALUMINUM WORK (SQFT)	1,160.36	SQFT	545.00	632396.20	18	%
15	VILLA B46 ALUMINIUM SLIDING DOORS &						
	WINDOWS						
	LABOUR FOR ALUMINUM GLAZING (SQFT)	501.00	SQFT	545.00	273045.00	18	%
				Contract Amou	nt (A)	284439	8.60
				Total G	ST (B)	51199	1.76
				Total (A	+ B )	335639	0 36

Terms & Conditions

Work Order Scope For Aluline Windows Below are specifications

Code: W01-GF Size: W = 770.00; H = 3060.00

Name: FIX WINDOW Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 25.40 Sq.Ft.

Code: W02-GF Size: W = 1160.00; H = 3050.00

Name: OPENABLE DOOR Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 6mm FROSTED TOUGHENED

Sq.Ft. per window 38.10 Sq.Ft.

Code: W03-GF Size: W = 1640.00; H = 3050.00

Name: SLIDING 2 TRACK 2 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 53.82 Sq.Ft.

Code: W04-GF Size: W = 600.00; H = 600.00

Name: VENTILATION Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 5 MM FROSTED GLASS

Sq.Ft. per window 3.88 Sq.Ft.

Code: W05-GF Size: W = 2345.00; H = 2565.00

Name: SLIDING 2 TRACK 2 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 64.69 Sq.Ft.

Code: W06-GF Size: W = 2670.00; H = 3050.00

Name: SLIDING 3 TRACK 3 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2,3) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 87.62 Sq.Ft.

Code: W07-GF Size: W = 1045.00; H = 2565.00

Name: SLIDING 2 TRACK 2 GLASS Profile System: ALULINE A3000 SLIDING SERIES

Location: Glass: (1,2) 5 MM CLEAR TOUGHENED GLASS

Sq.Ft. per window 28.85 Sq.Ft.

Code: W08-GF CORNER WINDOW Size: W = 2410.00; H = 3050.00

Name: SLIDING 2 TRACK 2 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 79.12 Sq.Ft.

Code: W09-GF Size: W = 850.00; H = 2565.00

Name: OPENABLE WINDOW Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 23.47 Sq.Ft.

Code: W10-GF VENT Size: W = 1200.00; H = 610.00

Name: VENTILATION Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1,2) 5 MM FROSTED GLASS

Sq.Ft. per window 7.86 Sq.Ft.

Code : W11-GF KITCHEN Size : W = 2300.00; H = 1500.00

Name: SLIDING 2 TRACK 2 GLASS Profile System: ALULINE A3000 SLIDING SERIES

Location: Glass: (1,2) 5 MM CLEAR TOUGHENED GLASS

Sq.Ft. per window 37.14 Sq.Ft.

Code: W12-GF KITCHEN Size: W = 650.00; H = 1500.00

Name: OPENABLE WINDOW Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 5 MM CLEAR TOUGHENED GLASS

Sq.Ft. per window 10.55 Sq.Ft.

Code: W13-FF Size: W = 5000.00; H = 550.00

Name: VENTILATION Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1,2,3,4) 5 MM FROSTED GLASS

Sq.Ft. per window 29.60 Sq.Ft.

Code: W14-FF Size: W = 2670.00; H = 3080.00

Name: SLIDING 3 TRACK 3 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2,3) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 88.48 Sq.Ft.

Code: W15-FF-CORNER WINDOW Size: W = 2440.00; H = 3080.00

Name: SLIDING 2 TRACK 2 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 80.95 Sq.Ft.

Code: W16-FF Size: W = 910.00; H = 2565.00

Name: OPENABLE WINDOW Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 25.08 Sq.Ft.

Code: W17-FF Size: W = 910.00; H = 2565.00

Name: OPENABLE WINDOW Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 25.08 Sq.Ft.

Code: W18-FF Size: W = 1500.00; H = 1480.00

Name: VENTILATION Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1,2,3) 5 MM FROSTED GLASS

Sq.Ft. per window 23.90 Sq.Ft.

Code: W19-FF Size: W = 1080.00; H = 1480.00

Name: VENTILATION Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1,2,3) 5 MM FROSTED GLASS

Sq.Ft. per window 17.22 Sq.Ft.

Code: W20-FF Size: W = 870.00; H = 2565.00

Name: OPENABLE WINDOW Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 24.00 Sq.Ft.

Code: W21-FF Size: W = 2310.00; H = 3080.00

Name: SLIDING 2 TRACK 2 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 76.53 Sq.Ft.

Code: W22-SF Size: W = 3880.00; H = 2950.00

Name: SLIDING 3 TRACK 3 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2,3) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 123.25 Sq.Ft.

Code : W23-SF Size : W = 600.00; H = 600.00

Name: VENTILATION Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 5 MM FROSTED GLASS

Sq.Ft. per window 3.88 Sq.Ft.

Code: W24 Size: W = 3880.00; H = 2950.00

Name: SLIDING 3 TRACK 3 GLASS Profile System: ALULINE A3500 SLIDING SERIES

Location: Glass: (1,2,3) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 123.25 Sq.Ft.

Code: W25-FF TO SF Size: W = 3040.00; H = 1380.00

Name: FIX WINDOW Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1) 6 MM CLEAR TOUGHNED GLASS

Sq.Ft. per window 45.21 Sq.Ft.

Code : W26-OUTSIDE Size : W = 860.00; H = 1450.00

Name: OPENABLE WINDOW Profile System: 40 MM CASEMENT SERIES

Location: Glass: (1,2) 5 MM CLEAR TOUGHENED GLASS

Sq.Ft. per window 13.45 Sq.Ft.

Other Conditions For Semi Unitized Curtain wall System

- 1) Design, Fabrication, Supply, All Main Material, Protection, Handover of Curtain wall system custom designed for double heights and window at all level to with stand the design. The system design shall be based on Close joint system & design shall include pressure plate and cover cap.
- 2) The system shall be designed of floor height units spanning between the floors with Dead load & wind load. The system shall be designed to accommodate up to 24 mm DGU in vision area.
- 3) The three barrier gasket system consists of 2nd & 3rd barrier of EPDM gaskets to achieve the required compression & seal in the system. EPDM Gaskets shall be of micro cured (Online Curing) with shore A hardness of 60-65.
- 4) Flasing / Trim / Floor Closure at Parapet level, floor level, beam bottom level and required flashings shall be provided continueously with required GI / Aluminium sheet. Internal & External concelled Flashings shall be 1.0mm thk GI sheet. External exposed flashing shall be 1.5mm thk. Aluminium sheet with SDF coated matching with external Aluminium profiles. Internal exposed flashing shall be 1.5mm thk. Aluminium sheet with powder coated matching with internal aluminium profiles.
- 5) The extruded aluminium sections of Alloy 6063 T5 / T6 & tolerances confirming to DIN / EN standard from approved extruder. The structural profiles shall have minimum 2 mm wall thickness. All the internal visible surfaces shall have high Durability (Akzonobel) / Super durable (Jotun) Powder coating of 60 80 micron.
- 6) All shade approval shall be as per Architect's Approval.

The quote rate shall include all design, engineering & shop drawing approval from architect & consultant. The quote rate shall include all Taxes, duties, statutory obligations and safety code compliance as per Client.

7) Vision Glass: 6 mm Clear Toughened Glass

Providing & fixing the vision glass on the semi unitized panel

General Conditions Terms and Conditions:-

1. The prices are based on the sizes provided by the customer. The prices are valid for variation in sizes up to +/-30mm per window

provided the design and style of product remains unchanged. The customer will be charged on pro-rate basis for difference between the

actual sizes and given sizes, if any, beyond the above variation.

- 2. After handovering the windows, cleaning not our scope.
- 3. Windows security tape should be remove while installing windows freely, After installation security tape will be removed by us that should

be chargeable per window Rs. 100.

- 4. If any other commitments given by our sales team, before placing order please call us . Cell : 9925223521
- 5. After hand overing windows, If any service require related to windows & doors, that should be chargeable. Per visit Rs. 350.
- 6. Material unloading & storage should be your scope.
- 7. All disputes shall be subject <jurisdiction city> jurisdiction only.

Pre-Requisites for installation of Windows:-

- 1. Walls should be plastered from inside and outside, with inside POP complete.
- 2. All jams, sills and soffits should be plastered.
- 3. Flooring (where doors have to be installed) should be complete.
- 4. Aperture should be smooth.
- 5. Base and top of window should be water leveled and sides should be in vertical plump.
- 6. Sill width should be more than the window width.
- 7. Opening should be accessible from inside for installation.
- 8. Grills: Adequate care should be taken if grills have to be installed.
- a. For Horizontal slider Window: Grill should be provided on the outer face of slider before the installation of the window.
- b. For Casement windows: Screw type grill is recommended after installation of casement window.
- 9. Installation should happen before the last coat of paint. At least one coat of paint should be done before installation begins.
- 10. Scaffoldings/ bracing should not interrupt the window openings where openings where windows are supposed to be installed.

## SAFETY TERMS

- 1) Work Compensation (WC) Policy is a must for every contractor.
- 2) Required all their laborers Aadhar card copy and Passport size Photo.
- 3) All PPES in Contractor Scope.
- 4) TPI (Third Party Inspection) Certificate must for their Machineries which they install on our site.
- 5) Every Quarterly they must submit a service report of their respective machines to the site incharge.
- 6) Contractor has to maintain enough lighting during night work at site.
- 7) Debit Note Policy will be applicable if the contractor failed to maintain the safety norms

- $^{\star}$  All responsibilities of goods during transportation and unloding at site by supplier and vendors.
- $^*\ Please\ submit\ your\ Bill/invoice\ along\ with\ delivery\ challan\ and\ PO\ copy\ in\ favour\ of\ Neptune\ Realty\ Pvt.\ Ltd.$

At project site office officialy.

- \* Biling amount should not exceed the rate and total value mentioned in this WO.
- \* Failure to comply with specification, terms and conditions of this order or accepted delivery. schedule shall be sufficient grounds for cancellation of order by purchase with out being liable.

For NEPTUNE ASSOCIATES			
Authorized Signatory			